

8600121

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Hi-Bred International, Inc.

Wilhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE; IN THE APPLICATE IN INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'9251'

In Lestimony Winexeot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 27th day of February in the year of our Lord one thousand nine hundred and eighty-seven.

Viela S. E. Tyr Secretary of Agriculture

Attest

Kenneth H. Evans Commissioner

Plant Variety Protection Office Assirultural Marketina Consis

	U.S. DEPARTMENT			FORM	APPROVED: C	MB NO, 0581-0055		
AGRICULTURAL MARKETING SERVICE					Application is required in order to determine			
APPLICATION FOR BUANT MARIETY PROTECTION OF BILLION TO					if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is			
AT LIGATION FOR FEARING VARIETY PROTECTION CERTIFICATE					held confidential until cartificate is issued (7 U.S.C. 2426).			
1. NA	ME OF APPLICANT(S)		2 TEMPORARY DESIGNATION	3. VAF	RIETYNAME			
P-	ioneer Hi-Bred Internationa	1, Inc.			9251			
	DRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code)	5. PHONE (Include area code)	F	OR OFFICIAL	USE ONLY		
	00 Capital Square		·	PVPO	NUMBER			
	00 Locust Street	319-234-0335		860	0121			
	S Moines, IA 50309			1	DATE	0121		
0, GÇ	TOS AND SPECIES NAME	7. FAMILY NAI	ME (Botanical)			6,_1986_		
G1	ycine Max	Legumino	osae	FILING	TIME I	2)_1_1_00_		
				-	9:00 1	ZAM DPM		
8. KIN	DNAME	9.	DATE OF DETERMINATION	1	MOUNT FOR	FILING		
			October, 1981	<u> </u>	1800.			
So	ybean		October, 1981 January, 1985 (Incre	asež) [º	DATE	1 1001		
				-1 ∺ ⊢	MOUNT FOR	CERTIFICATE		
10. IF par	THE APPLICANT NAMED IS NOT A "PERSO tnership, association, etc.)	N," GIVE FORM	OF ORGANIZATION (Corporation	SR	amount for	2		
Co	on a sa kila s			FEES	DATE			
CO	rporation				TRUMAN	16.1987		
11, IE	NCORPORATED, GIVE STATE OF INCORPORT	DRATION		12. DA	TE OF INCOM	PORATION		
Io				1	1926	4		
13. NA	ME AND ADDRESS OF APPLICANT REPRES	SENTATIVE(S), 1						
32	61 West Airline Highway		Mary Helen Mit		(Cop			
	terloo, IA 50703		700 Capital Sq Des Moines, IA			ust Street		
	30,00	-	PHONE (Include a					
14 CH	ECK APPROPRIATE BOX FOR EACH ATTAC	CHMENT SUBMIT	TED		<u> </u>			
a. 🛚	Exhibit A, Origin and Breeding History of	the Variety (See	Section 52 of the Plant Variety Pr	otection 2	Act.)	•		
ь. 🛭	Exhibit B. Novelty Statement.		:					
, c. 🛛	c. X Exhibit C. Objective Description of Variety (Request form from Plant Variety Protection Office							
a. 🔲	Exhibit D. Additional Description of Vari	ety.						
e. 🛛	Exhibit E. Statement of the Basis of Appl							
15. DO SE 6	ES THE APPLICANT(S) SPECIFY THAT SEE D? (See Section 83/a) of the Plant Variety Pro	D OF THIS VARI election Act, j	ETY BE SOLD BY VARIETY NAM Yes (If "Yes," answer			IF CERTIFIED		
16. DO	ES THE APPLICANT(S) SPECIFY THAT THIS	VARIETY BE	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH C		IODUCTION		
	Yes X No		Foundation	_	istered	Certified		
18. DID	THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECTI		_ —				
					Yes	(If "Yes," give date)		
				,	X No			
19 HAS	THE VARIETY BEEN RELEASED, OFFER	RED FOR SALE	OR MARKETED IN THE U.S. OF	OTHER		7		
	·				Yes	(If "Yes," give names ountries and dates)		
						Suntines and Gatesi		
					X No			
20. The plen	applicant(s) declare(s) that a viable samp ished upon request in accordance with su	le of basic seeds ich regulations a	s of this variety will be furnishe is may be applicable.	d with th	e application	and will be re-		
The disti	undersigned applicant(s) is (are) the own nct. uniform, and stable as required in Secty Protection Act.	er(s) of this sex	ually reproduced novel plant va	riety, an ie provisi	d believe(s) the lons of Section	nat the variety is n 42 of the Plant		
Арр	licant(s) is (are) informed that false repre	sentation hereir	n can jeopardize protection and	result in	penalties.			
SIGNAT	URE OF APPLICANT		· · · · · · · · · · · · · · · · · · ·	DA	TE			
00					2	30, 1986		
U	in Jannings		· · · · · · · · · · · · · · · · · · ·	10	gree i	, , , , , , ,		
SIGNAT	URE OF ARPLICANT			DA	it is	त्र		

Attachment: 9251 Soybean (April, 1986)

Exhibit A:

Variety 9251 evolved from a cross of S1492 X A2575. It is an F5-derived variety which was advanced to the F5 generation by modified single-seed descent. The F6 progeny row of 9251 was grown in Iowa during the summer of 1981. Subsequently, 9251 has undergone four years of extensive testing and purification. It has been observed by the breeder to be uniform and stable for all plant traits from generation to generation with no evidence of variants.

3 acres of 9251 (breeders seed) were grown in 1984 and 49 acres (foundation seed equivalent) were grown in 1985.

Exhibit B:

9251 is most similar to variety DSR 227. However, it is resistant to races 1 and 2 of Phytophthora, and has a low seed protein peroxidase activity; whereas DSR 227 is susceptible to Phytophthora (races 1 and 2) and has high peroxidase activity. Variety 9251 is also significantly shorter in height than DSR 227 by more than 4 inches (see Table 1).

Exhibit E:

Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of the '9251' variety of soybeans for which it solicits a certificate of protection.

Table 1. Paired Comparison (Plant Height in Inches)

OBSERVATIONS	9251(X ₁)	DSR 227(X ₂)	(x ₂ -x ₁)	$(x_2-x_1)^2$
1	45	47	2	4
2	43	50	. 7	49
3	43	49	6	36
4	45	47	2	4
5	43	48	5	25
6	45	48	3	9
TOTAL	264	289	25	127
$\overline{\mathbf{x}}_{i}$	44.0	48.2	4.2	· .

$$n = 6$$

$$s = \sqrt{\frac{127 - [(25)^2/6]}{6(5)}} = 0.872$$

t =
$$\frac{d}{d}$$
 = $\frac{48.2 - 44.0}{0.872}$ = 4.82 ** for 5 df

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S) Pioneer Hi-Bred International, Inc.	MPORARY DESIGNATION VARIETY NAME 9251
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
700 Capital Square 400 Locust Street	PVPO NUMBER
Des Moines, IA 50309	8600121
Choose the appropriate response which characterizes the variety in your answer is fewer than the number of boxes provided, place	in the features described below. When the number of significant digits ce a zero in the first box when number is 9 or less (e.g., $\begin{bmatrix} 0 & 9 \end{bmatrix}$).
1. SEED SHAPE:	•
	T
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
1 = Yellow 2 = Green 3 = Brown 4	= Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; '	Gasoy 17')
4. SEED SIZE: (Mature Seed)	
1 6 Grams per 100 seeds	
5. HILUM COLOR: (Mature Seed)	
1 = Buff 2 = Yellow 3 = Brown 4 = 0	Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bro 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coke	nze band below cotyledons ('Woodworth'; 'Tracy') er Hampton 266A')
0. LEAFLET SHAPE:	
3 = Ovate	4 = Other (Specify)

11	. LEAF!	LET SIZE:	
	2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	8600121
12	1505	COLOR:	
	2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13	. FLOW	mall ('Amsoy 71'; 'AS312') arge ('Crawford'; 'Tracy') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 12 13 14 15 16 16 17 18 18 19 19 19 10 10 11 11 12 13 14 15 16 16 17 18 18 18 18 18 18 18 18	
	2	1 = White 2 = Purple 3 = White with purple throat	
14	POD CO	OLOR:	: :
	2	1 = Tan 2 = Brown 3 = Black	
15.	PLANT	FPUBESCENCE COLOR:	
	1	1 = Gray 2 = Brown (Tawny)	
16.	PLANT	TYPES:	
ų,	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17.	PLANT	HABIT:	
	3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18.	MATUR	BITY GROUP:	
0	5		8 = V
19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	7.6017.5
		ERIAL DISEASES:	ET THE STATE OF TH
٠		(A)	RECEIVED
		Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	USDA AMS
		Bacterial Blight (Pseudomonas glycinea)	5 198° E
	0	Wildfire (Pseudomonas tabaci)	Plant Variety
	FUNGAL	L DISEASES:	Protection Ofc.
-	<u></u>	Brown Spot (Septoria glycines)	STIPLIANT.
		Francis La (0 a.) (0	
	i	Frogeye Leaf Spot (Cercospora sojina)	
		Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Spe	cify)
	0		cify)
	0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Spe	cify)
	0 0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Special Spot (Corynespora cassiicola)	cify)
		Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Special Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica)	cify)
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Special Spot (Corynespora cassiicola) Downy Mildew (Peronospora trifoliorum var. manshurica) Powdery Mildew (Microsphaera diffusa)	cify)

19. DISEASE REACTI	ON: (Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)		•	8600121
O Pod and S	tem Blight (Diaporthe phaseolorum var; sojae)			
0 Purple See	d Stain (Cercospora kikuchii)			
0 Rhizocton	ia Root Rot <i>(Rhizoctonia solani)</i>		•	
Phytophth	ora Rot (Phytophthora megasperma var. sojae)			
2 Race 1	2 Race 2 0 Race 3 0	Race 4 Race	5 0 Race 6	0 Race 7
0 Race 8	O Race 9 Other (Specify)			
VIRAL DISEASE	s:			
0 Bud Blight	(Tobacco Ringspot Virus)			
O Yellow Mos	saic (Bean Yellow Mosaic Virus)		•	
0 Cowpea Mo	saic (Cowpea Chlorotic Virus)			• •
0 Pod Mottle	(Bean Pod Mottle Virus)			
0 Seed Mottle	(Soybean Mosaic Virus)		•	
NEMATODE DISE	ASES:	4 1 1-4	· · · · · · · · · · · · · · · · · · ·	• • •
Soybean Cy	st Nematode (Heterodera glycines)	6/2/86		
0 Race 1	0 Race 2 8 Race 3 0	Race 4 Other	(Specify)	
0 Lance Nema	tode (Hoplelaimus Colombus)	. ———		
0 Southern Ro	oot Knot Nematode (Meloidogyne incognita)		•	
0 Northern Ro	ot Knot Nematode (<i>Meloidogyne Hapla)</i>			
	Knot Nematode (Meloidogyne arenaria)		. •	
	matode (Rotylenchulus reniformis)			
OTHER DIS	EASE NOT ON FORM (Specify):			
[_0]	The state of the s			
20. PHYSIOLOGICAL RE	SPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)		
1 Iron Chlorosi	s on Calcareous Soil			
Other (Specif	y)			·
1. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re			
	Beetle (Epilachna varivestis)			
	lopper (Empoasca fabae)			
	//			
	RIETY MOST CLOSELY RESEMBLES THA	F SUBMITTED.		
CHARACTER	NAME OF VARIETY	CHARACTER		F VARIETY
Plant Shape	S1492	Seed Coat Luster	DSR	<u></u>
Leaf Shape Leaf Color	DSR 227	Seed Size	DSR	
Leaf Size	DSR 227 DSR 227	Seed Shape	DSR	
	USIN ZZI	Seedling Pigmentation	DSR	[

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	DAYS LOD	PLANT LODGING	ODGING PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
7, 11		SCORE		CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9251 Submitted	125	2.2	112					16	
DSR 227 Name of Similar Variety	126	2.4	122					16	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

